### thermo scientific

### Thermo Scientific Optical Emission product range

For chemical analysis of solid metallic samples

Accuracy • Precision • Stability • Speed • Quality • Reliability • Ease of use



## Unrivaled reputation in OES

For more than 80 years, our company has set the standard for elemental analysis of solid metal samples with continuous innovations and regular firsts in optical emission spectrometers.

Our optical emission spectrometers come with turn-key analytical solutions allowing fast and simultaneous determination of all the relevant elements in many metals and alloys. Analyzing with accuracy and precision from trace to percent element concentration levels, our instruments reliability fulfill all the analytical tasks required by metallurgical industries and analysis laboratories.

The unrivaled reputation of Thermo Fisher Scientific in metals analysis comes from our extremely large installed base of OES spectrometers and the key benefits that they provide, day after day, year after year, to their users.



### Benchtop OES spectrometer

The Thermo Scientific<sup>™</sup> ARL<sup>™</sup> easySpark optical emission spectrometer brings all the features and benefits sought-after by small and medium size foundries, metal processors and other metallurgical industries and laboratories that want to maximize productivity with reliable metals analysis.

#### Thermo Scientific ARL easySpark

- Compact and affordable CCD spectrometer
- High performance Peltier-cooled CCD spectrometer
- Wide elemental coverage including N in steel and Li and Na in aluminum
- Excellent accuracy, precision and stability
- Easy to use for manager and operator with easyOXSAS software
- Open stand design offering high user safety
- Low cost of ownership



## High performance OES spectrometer Thermo Scientific ARL iSpark series

The Thermo Scientific<sup>™</sup> ARL iSpark<sup>™</sup> series combines experience and innovation. Designed around the world's most famous PMT optics of the ARL 3460 and ARL 4460 spectrometers, it combines well proven technologies with increased functionality and many innovative features:

- Paschen-Runge mounting with 1m focal length for optimal intrinsic optical resolution
- Heavy cast iron spectrometer body operating under vacuum and temperature controlled for ultimate stability
- · Advanced acquisition and processing technologies ensuring highest performance for all elements
- Simple stand design allowing easy and fast routine maintenance
- Significant argon savings during analysis and in stand-by

The ARL iSpark series addresses the requirements of all metallurgy markets and offers an optimum solution for those requiring utmost analytical excellence.

#### Thermo Scientific ARL iSpark 8820

- Custom designed optical configurations with wide range of elements
- Analysis of all types of metals and alloys
- Excellent accuracy, sensitivity, precision and stability
- Ideal for demanding foundries and metal processors, wanting an economical solution for highly reliable process and quality control



#### Thermo Scientific ARL iSpark 8860

- Customizable optical configuration and range of elements
- Analysis of all types of metals and alloys, pure and ultra-pure included
- Outstanding sensitivity, accuracy, precision and stability
- Ultimate performance for trace elements
- Determination of ultra-low concentration C, N and O in steels
- Ultra-fast analysis of non-metallic inclusions
- Instrument of choice for metals producers and refiners



### thermo scientific

### Fire assay analysis

The ARL Fire Assay Analyzer is a member of our high performance OES spectrometers family. It is used to determine the concentrations of the precious metals directly in lead buttons, providing numerous advantages compared to traditional fire assay analysis techniques, especially simplifying and speeding up the process by eliminating the cupellation and complex subsequent analytical methods.

#### Thermo Scientific<sup>™</sup> ARL<sup>™</sup> Fire Assay Analyzer

- Highly quantitative determination of precious metal at trace concentration in fire assay lead buttons
- Outstanding sensitivity, precision, accuracy, stability and reliability
- Considerable time and cost savings by suppressing cupellation and traditional analyses
- Makes fire assay analysis simpler, cleaner and less polluting



# Automation systems for ARL iSpark

Automation improves sample analysis dependability and quality by eliminating many of the causes of measurement errors (i.e., human variables). Shorter and predictable response times lead to major production savings. Fast and precise results allow you to meet tighter product specifications and analysis time expectations without increasing overhead costs. The series of SMS automation systems span the entire metals industry spectrum from foundries and metals processors to modern steel works and large aluminum smelters.

### Thermo Scientific<sup>™</sup> ARL<sup>™</sup> SMS-2300, SMS-2500 and SMS-3500 robotized systems

- Ultimate sample handling flexibility and speed for the automated Thermo Scientific ARL iSpark OE spectrometer with ARL SMS-2300/2500
- Two X-ray or two OES, or one X-Ray and one OES instruments can be automated with the ARL SMS-3500 Series, including one or two sample preparation machines



ARL SMS-2300 with ARL iSpark

For unattended on-site analyses, these systems can be supplied in a standard container: the Thermo Scientific<sup>™</sup> ARL<sup>™</sup> QuantoShelter, also called "the lab in a box."

#### Find out more at **www.thermofisher.com/oes**

©2018 Thermo Fisher Scientific Inc. All rights reserved. ISO is a trademark of the International Standards Organization. All other trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. **BR41159-EN 0618** 

 $\begin{array}{l} \mbox{Africa-Other} \ +27\ 11\ 570\ 1840\\ \mbox{Australia} \ +61\ 3\ 9757\ 4300\\ \mbox{Australia} \ +43\ 1\ 333\ 50\ 34\ 0\\ \mbox{Belgium} \ +32\ 53\ 73\ 42\ 41\\ \mbox{Canada} \ +1\ 800\ 530\ 8447\\ \mbox{China} \ +86\ 10\ 8419\ 3588\\ \mbox{Denmark} \ +45\ 70\ 23\ 62\ 60\\ \end{array}$ 

Europe-Other +43 1 333 50 34 0 Finland/Norway/Sweden +46 8 556 468 00 France +33 1 60 92 48 00 Germany +49 6103 408 1014 India +91 22 6742 9434 Italy +39 02 950 591 Japan +81 45 453 9100 Korea +82 2 3420 8600 Latin America +1 561 688 8700 Middle East +43 1 333 50 340 Netherlands +31 76 579 55 55 New Zealand +64 9 980 6700





